

# PolySports™

## SGN 240

# 30-3-9

## 50% NS-52™

### DIRECTIONS FOR USE

Apply only as directed during the growing season.

#### Application Rates:

1.22 - 2.05 kg/100 m<sup>2</sup> (2.5 - 4.2 lbs/1,000 sq. ft.)

Apply at the rate for the amount of Nitrogen desired.

Use Rate kg/100 m <sup>2</sup>	Nitrogen kg/100 m <sup>2</sup>	Use Rate lbs/1,000 sq. ft.	Nitrogen lbs/1,000 sq. ft.	20 kg bag treats	20 kg bag treats
1.22	0.37	2.5	0.75	1,640 m <sup>2</sup>	17,600 sq. ft.
1.61	0.48	3.3	1.00	1,240 m <sup>2</sup>	13,300 sq. ft.
2.05	0.62	4.2	1.25	980 m <sup>2</sup>	10,500 sq. ft.

#### For all applications:

- Apply to dry foliage.
- Water in after application with a minimum of 5.1 mm (0.2 inches) to help move particles into the turf canopy.
- Do not collect clippings for at least one mowing following application to avoid particle pick up.
- Do not use on putting greens.
- Do not use with a drop spreader.
- Apply at low rates if temperatures exceed 29° C (85° F).

**Notice:** This product contains the micronutrient iron for extra greening and to help prevent iron deficiency. Iron may stain concrete and other surfaces. Misapplied product to these surfaces should be removed promptly by sweeping or blowing. **DO NOT WASH OFF WITH WATER.**

Recent research has shown that well-maintained turf is an effective environmental buffer that prevents pollutants from entering our natural water bodies. To help protect these natural resources, avoid applying product to sidewalks, driveways, roadways, and other impervious surfaces. Sweep any misplaced granules back onto the area you are treating immediately after application, since storm drains often empty directly to nearby waterways.

### GUARANTEED ANALYSIS

Total Nitrogen (N)	30.00%
1.17% Ammoniacal Nitrogen	
28.83% Urea Nitrogen*	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> )	3.00%
Soluble Potash (K <sub>2</sub> O)	9.00%
Sulfur (S)	5.13%
5.13% Free Sulfur (S)	
Iron (Fe)	2.00%

Constituent Materials: polymer coated sulfur coated urea, ammonium phosphate, urea, potassium chloride and ferric oxide.

Chlorine (Cl) Max 7.62%  
\*15.00% Slowly available nitrogen from polymer coated sulfur coated urea.

#### Storage and Use:

Store in a clean, dry place.  
Reseal opened bag by folding top down and securing.  
Use only clean, dry spreaders.  
Do not leave unused product in spreaders.

#### IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

#### WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

#### LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/PROVINCE/JURISDICTION TO STATE/PROVINCE/JURISDICTION.

Product of USA

The Andersons logo is a registered trademark of The Andersons, Inc.; PolySports and NS-52 are trademarks of The Andersons, Inc.

#### Suggested Spreader Settings

The suggested spreader settings are not intended to replace calibration.  
Please calibrate your spreader before applying product.

SPREADER	GROUND SPEED	WIDTH OF COVERAGE	1.22 kg/100 m <sup>2</sup> (2.5 lbs/1,000 sq. ft.)	1.61 kg/100 m <sup>2</sup> (3.3 lbs/1,000 sq. ft.)	2.05 kg/100 m <sup>2</sup> (4.2 lbs/1,000 sq. ft.)
ANDEpro 2000, AccuPro 2000, SR-2000 (cone 4 for AccuPro & SR-2000)	4.8 km/hr (3 mph)	4 m (13 feet)	K	L 1/4	M 3/4
R-8, R-8A (cone 4)	4.8 km/hr (3 mph)	4 m (13 feet)	J 3/4	K 1/4	L 1/2
Lely Models WTR, WFR, HR, 1250 (PTO at 450 rpm) (Pattern I)	7.2 km/hr (4.5 mph)	12 m (40 feet)	5	5 3/4	6 1=2
Vicon (03 Series)	7.2 km/hr (4.5 mph)	11 m (36 feet)	23	27	31



Manufactured by:  
The Andersons Lawn Fertilizer Division, Inc.  
P. O. Box 119  
Maumee, OH 43537  
USA



**Net Weight 20 kg (44.1 lbs.)**

**APPC3015FE4**

I8 (APPBLKPGRN.1B)